

Zoey's Timetable

2.9.15

8:00 ... Hi (no number ... hi). 2 units insulin (1/2 can friskie's special diet) (ate ¾ with added tuna and catnip)

12:00 **158** (fed approx. 1 tbspn pate mixed with water) *ketones were negative* upon urination

1:45 **238** (tuna treat)

2:00 .. 1 unit fluids

4:35 **349** (tuna treat) (snuck around and ate a few bites of copper's food)

6:20 **457** (1/2 can friskie's special diet) (ate 3/4 with added tuna and catnip)

7:15 1 unit insulin (baytril)

2.10.15

12:15 a.m. **372** (tuna treat -- tt)

2:30 **438** (1 tbspn special diet with tuna)

3:20 1 unit insulin

6:32 **271** (tt)

8:15 **351** (1/4 can friskie's special diet – no tuna)

11:00 **425** (1 tbspn friskie's special diet with extra water)

(BM)

11:30 1 unit insulin (tt)

1:30 **240** (our glucometer reading against vet's 227 reading) (after a rocky start of no instruction on initial visit/diagnosis, we had a great vet visit. Approved of protocol/advice from feline diabetes forum – gave a vitamin b shot) (protocol ... test regularly, insulin as needed using 400s as benchmark to set insulin time; vitamin b once a week; 1 to 1.5 units fluid daily; meds as directed: baytril 1xd (added four

days to remaining 3), pepcid 1xd – follow up in one week so he can review insulin reaction and possibly change as recommended on feline diabetes site.)

6:00 **479** 1/3 can friskie's special diet – no tuna (right front paw)

6:20 1 unit insulin (right side belly)

9:30 **253** (front right paw) (tt)

10:00 1 baytril and 2.5 cc renal k

2.11.15

2:00 **432** (left rear paw – 3 x dry – left front paw) 1/3 c friskie's special diet – no tuna)

2:30 1 unit insulin (right side middle belly)

7:00 **375** (left rear paw) (tt)

9:00 **571** (right front paw) ½ can friskie's special diet

9:20 2.25 units (left belly)

12:05 **178** (right rear paw) tt 2 treats (high carb) (called into work so was worried about nadir not having been reached and me being gone if it went too low)

12:37 **138** (left rear paw) 2 treat (high carb) (was still falling and needing to leave soon) ... ended up not leaving.

1:15 **166** (tt)

3:20 **332** (tt)

5:15 **474** (tt) ½ can FSD

5:30 1.5 units (right belly)

9:30 **317** (tt) left front paw (snuck unknown number of bites of athena's dry/wet food)

10:00 Baytril

11:50 **(unknown)** ... all attempts unsuccessful to the point she is growling) ¼ c FSD

2.12.15**12:30** 1.5 units (left belly)5:30 **396** (tt) ½ c FSD (left back paw)**6:00** 1.75 units (right belly)

BM (large and soft)

9:30 ¼ can FSD (*pepcid*)10:44 **335** (tt) (back right paw)1:00 **497** (tt) (1/4 c FSD)**1:20** 2.0 units (left belly) (tt)

3:00 (1/8 c FSD watered down like soup)

(multiple tuna treats in the interim)

7:00 ¼ c FSD

8:45 **HI** (tt)**8:45** 2.5 units (... left belly -- felt moisture on backside after needle pulled out. Believe I shot it out the back. Gave .5 units at the neck)9:00 1 unit fluids9:15 **HI**

11:00 (1/4 c fsd mixed with water .. soup)

2.13.152:45 **HI** (tt) (1/4 c FSD)**3:00** 2.25 Units (rt. Hind leg/belly) (1/4 c FSD soup)7:00 **220** (right front paw) (tt ... fed tuna treat on a flat hand and she was biting at my fingers instead of the tuna. Smelled her way to the tuna. Appears to be able to see when I walk in a room.)

7:45 (1/4 c FSD soup)

10:50 **HI** (tt) (1/4 c FSD soup) (left front paw)

11:00 2.5 units (left hind leg/belly)

2:15 **576** (right rear paw)

4:00 **276** (left rear paw would not draw ... left front paw) ¼ c fsd soup

6:46 **249** (right rear paw) ¼ c fsd soup

8:45 **HI** (tt) (a bite of fsd)

9:00 2 units (right rear leg tent) (1/2 c fsd soup)

Baytril

2.14.15

1:00 **306** (right rear paw) (tt)

5:00 **HI** (left rear – no luck/ right rear paw) tt ¼ c fsd

5:15 2.5 units (left hind leg/belly)

10:30 **386** (tt)

Bm – (soft, from the miralax, but not as smooth as should be)

1:00 **518** (tt) ½ c fsd (1/4 frozen ¼ fresh water added)

1:15 2.5 units (right hind leg/belly)

5:10 **127** (tt) (a couple bites of her evening fsd)

6:45 **272** (tt)

7:30 couple of bites of chicken meat/tuna

8:00 1 unit fluids/baytril

9:10 **HI** (1/2 c fsd – half frozen)

9:20 2.25 units (left hind leg/belly)

Ketones ... negative

2.15.15

2:00 **200** (tt)

5:30 **24/Hi** (multiple tests .. first one bad test) ½ c Mariner's Choice – (did not realize wrong can. not as low carb as FSD)

5:50 2.5 units (right hind leg/belly)

11:00 (1/4 c FSD)

1:01 **315** (tt) (1/2 c FSD – ¼ of it frozen)

1:15 1.5 units (left belly/hind leg – she moved and bent needle. Straightened out and gave in scruff of neck – not sure if it all went in.) (I tried to medicate her in a different location of the house than what she's used to ... don't do that again.)

6:00 **242** (tt) (right front paw)

Pepcid

8:40 **268** (½ c fsd – ¼ of it frozen) (right rear paw)

9:00 1.25 units

2.16.15

2:25 **262** (tt) (1/4 c fsd) (rt rear paw)

Baytril

2:45 1.25 units

6:30 **253** (front right paw) (1/4 c fsd)

10:30 **589** (tt) (1/4 c fsd whitefish) (rt. Rear paw)

pepcid

10:45 2.5 units

Ketones .. negative

2:20 **280** (tt) ¼ c fsd white fish) (left rear paw)

6:30 **430** (tt) (1/4 c fsd white fish) (right rear paw)

6:45 2.25 units (left belly/hind)

10:00 (1/4 c fsd white fish soup)

2.17.15

1:45 **439** (tt) (absolutely starving and would not wait ... ¼ c fsd white fish soup) (left rear paw, no luck/
right rear paw)

Baytril

2:00 2.25 units (right belly/hind)

7:00 **270** (left rear paw) (tt)

BM (using litter box but also coming into my office and urinating – same spot each time – 3 x past week)

(1/8 c fsd whitefish and 1/8 c fsd whitefish frozen – water added to each)

10:45 **460** 1/8 c fsd whitefish and 1/8 c fsd whitefish frozen – water added to each

11:00 2.5 units (left belly/hind)

3:50 **134** (right rear paw) (tt) (1/2 c fsd whitefish and 1/8 c fs whitfish frozen – water added to each)

(4:12 **ketones negative** – came from her bathroom where the litterbox is, across the house to my office,
and stood right behind me where I was sitting in my chair and wet the rug.)

7:00 **443** (tt) 1/8 c fsd whitefish and 1/8 c fsd whitefish frozen water added to each

7:27 2.25 units (right belly/hind)

Baytril/pepcid

11:30 288 (rt. Rear paw) (tt) 1/8 c fsd whitefish and 1/8 can fsd whitefish frozen – water added to each)

Changed litter to a clay litter, unscented; and moved to a new location that was more open instead of toilet closet.

2.18.15

3:10 432 (left rear paw) (tt) (did not give extra food. She had not yet eaten the food that was on the plate that had been frozen so she ate the 1/8c fsd whitefish that had thawed.)

3:30 2.25 units (left belly/hind)

5:30 – gave 1/8 c SFD whitefish ... had not given extra food earlier and she would not stop begging.

BM – gray (looks like covered in litter but not. possibly from DE/Miralax?), not quite smooth.

8:00 110 (right rear paw) (tt) (1/8 c + 1/8 c frozen SFD whitefish)

11:30 437 (left rear paw) (tt) 1/8 c + 1/8 c frozen SFD whitefish)

11:40 2.25 units (right belly/hind)

3:45 214 (right rear paw) (tt) 1/8 c + 1/8 c frozen SFD whitefish

5:30 282 (234) vet's. vet visit today and he did not have time to see us after repeated requests for face time. They only did sugar test which is not what he had scheduled us to come back for. We were supposed to come back to go over these numbers with him and check the insulin to see if it is the best choice for us. He had his tech tell us to up the dose to 2.50 units for **each** injection. This is contrary to the protocol we've been following and the concerns we've had over the last two weeks, and makes no sense when sometimes her sugar is lower and the correct dosage would call for 1 full unit less. In those situations, the 2.5 dosage would/could kick her into hypo numbers.)

7:45 283 (left rear paw) (tt) (1/8 c FSD whitefish + 1/8 c FSD whitefish frozen)

8:00 1.5 units (left belly/hind)

12:00 266 (right rear paw)

2.19.15

4:00 **453** (left rear paw) (tt) (1/8 c FSD whitefish + 1/8 c FSD whitefish frozen)

4:15 2.5 units (right belly/hind)

8:22 **93** (left rear paw) (tt) (1/8 c FSD whitefish = 1/8 c FSD whitefish frozen)

10:45 Vet appointment for second opinion ... did not go well. Same old stuff. 2 units of insulin 2 x a day. Agreed to give it a try. Bunch of crap talk about not testing often and give 2 units no matter how low the number is – just bull.

6:30 **H** (tt) fed ½ can of FSD

7:00 2 units (as instructed, even though high calls for 2.5)

2.20.15

2:00 **484** (zoey woke me up by nudging me and sitting on me. Waited on bed for me to get her glucometer, purring the whole time while I drew her blood. Was not going to let her go another five hours with it that high already. Cannot follow the protocol and going back to a “tight” protocol as described on feline diabetes forum.) ¼ c + ¼ c fsd (tt)

2:15 2.5 units

7:10 a.m. **185** 1/8 + 1/8 FSD (tt)

9:09 a.m. **161** (tt) .. was going to leave for work and testing before giving insulin early. Numbers still dropping so did not give shot before leaving for work.

1:30 **539** (left rear paw) (got home much later than anticipated – job ran two hours over expected time)
½ c FSD

1:45 2.5 units (left belly)

4:30 (1/8 c FSD watered down heavily)

6:20 **221** (right rear paw) (tt)

9:18 **347** (tt) (lrpaw 3x no luck/rrpaw) ¼ c FSD + ¼ c frozen

9:30 1.75 units (r-belly)

2.21.15

3:00 **336** (tt) (rfpaw) $\frac{1}{4}$ c watered down

5:30 **465** (tt) (both front paw no luck / rrpaw) $\frac{1}{4}$ c + $\frac{1}{4}$ c frozen (FSD whitefish)

5:45 2.5 units (l-belly)

10:10 **137** (tt)

2:45 **H1** lrp (tt) ($\frac{1}{4}$ c FSD whitefish + $\frac{1}{4}$ FSD white fish frozen)

3:00 2.5 units (r-belly)

8:14 **219** (rrp) (tt)

9:40 **293** (lrp) (tt)

10:45 **393** $\frac{1}{4}$ + $\frac{1}{4}$ FSD whitefish (tt)

11:00 2.25 units

2.22.15

4:00 **177** (tt) $\frac{1}{4}$ FSD whitefish

6:45 **254** (tt) $\frac{1}{4}$ + $\frac{1}{4}$ c FSD whitefish

7:00 1.75 units

(BM – very clay like and hard)

11:17 **121** (tt) $\frac{1}{4}$ c FSD whitefish (Stopped using Dirt)

2:51 **535** (tt) $\frac{1}{4}$ + $\frac{1}{4}$ FSD whitefish

3:00 2.50 units

7:38 161 (tt) ¼ FS whitefish

10:41 316 (tt) ¼ + ¼ FSD whitefish

11:00 2.0 units

2.23.15

4:22 249 (tt) ¼ fsd whitefish

6:50 522 (tt) ¼ + ¼ FSD whitefish

7:00 2.0 units

(BM – large and normal)

11:00 ¼ fsd whitefish

2:47 381 (tt) ¼ fsd whitefish + ¼ FSD whitefish)

3:00 2.0 units

7:00 ¼ FSD whitefish

10:37 443 (tt) ¼ fsd whitefish + ¼ FSD whitefish)

11:00 2.0 units

2.24.15

2:45 ¼ c FSD whitefish

6:40 490 (tt) ¼ fsd whitefish + ¼ FSD whitefish) (Restarted Dirt – just 1 tspn and split in half with the next serving)

7:00 2.0 units (fur shot – pulled up what I could in the syringe and reshot – lost some though – not going to give any additional food until next shot)

12:00 ¼ c FSD whitefish

2:45 **577** (tt) (¼ c FSD and ¼ c FSD whitefish

3:00 2.5 units

7:30 ¼ c FSD whitefish

10:50 **306** (tt) ¼ fsd whitefish + ¼ FSD whitefish

11:00 2.25 units

2.25.15

4:30 ¼ c FSD whitefish

6:45 **319** (tt) ¼ fsd whitefish + ¼ FSD whitefish

7:00 2.25 units

11:30 ¼ c FSD whitefish

3:00 **315** (tt) ¼ fsd whitefish + ¼ FSD whitefish

3:05 2.25 units

8:00 ¼ c FSD whitefish

10:57 **418** (tt) ¼ fsd whitefish + ¼ FSD whitefish

11:00 2.5 units

2.26.15

4:30 ¼ c FSD whitefish

6:40 **365** (tt) ¼ fsd whitefish + ¼ FSD whitefish

Poop ... two hard pebbles

7:00 2.25 units

11:00 ¼ c FSD whitefish 1000 mcg methyl b-12

2:40 471 (tt) ¼ fsd whitefish + ¼ FSD whitefish

3:00 2.5 units

(snuck a bite of high carb wet food and unknown amount of dry food.)

7:00 ¼ c FSD whitefish

11:09 453(tt) ¼ fsd whitefish + ¼ FSD whitefish

11:15 2.5 units

Note: Her hind legs are not as stable as they have been being. Noticed it earlier today and that's why we added the B-12 food supplement. Am not giving the Complex B as I've read that it is not enough B-12 and the other Bs are not needed and can cause harm long term. Have stopped ACV and Dirt as of the 7:00 p.m. feeding. Poop is still hard and she's walking to pond to eat grass. Also gave a Pepcid ¼ about 4:00 this afternoon in case her stomach is bothering her.

Ordered her Lantus Solarstar pens today and have confirmation they have been shipped. \$158.99. Mark's Marine Pharmacy – Canada (savings of 250.00 over US price)

2.27.15

3:00 ¼ c FSD whitefish

Poop ... 2 hard pebbles

6:59 416 (tt) ¼ fsd whitefish + ¼ FSD whitefish

7:10 2.5 units

(will not be giving her mid-morning snack because she was caught eating the other cats' food. – not low carb. Unknown amount but do not believe it was much)

2:41 471 (tt) ¼ fsd whitefish + ¼ FSD whitefish

3:00 2.5 units

7:00 ¼ c FSD whitefish

10:47 **505** (tt) ¼ fsd whitefish + ¼ FSD whitefish**11:00 2.5 units****2.28.15**

3:30 ¼ c FSD whitefish

6:30 **430** (tt) ¼ fsd whitefish + ¼ FSD whitefish**6:45 2.5 units**

11:00 ¼ c FSD whitefish

2:53 **563** (tt) ¼ fsd whitefish + ¼ FSD whitefish**3:00 2.75 units**

7:30 ¼ c FSD whitefish

8:52 **326** (tt)10:29 **450** (tt) ¼ fsd whitefish + ¼ FSD whitefish

(after this morning supplement, will be stopping the B-12 addition because of high BG and ingredient label lists fructose so this may be the cause of her high readings. started adding ACV back to each serving of food as of the 10:30 feeding to help with stabilization of BG)

10:45 2.75 units**3.1.15**

(Believe her signs of neuropathy – evident in the p.m. - are due to her lack of significant BM. Am adding a pinch of miralax to each serving until bm)

3:30 ¼ c FSD whitefish

BM soft clay6:12 **331** (tt) ¼ fsd whitefish + ¼ FSD whitefish

6:20 2.5 units

1:50 **276** (tt) ¼ fsd whitefish + ¼ FSD whitefish

2:00 2.25 units

9:13 **349** (tt) ¼ fsd whitefish + ¼ FSD whitefish

9:30 2.5 units

3.2.15

5:11 **332** (tt) ¼ fsd whitefish + ¼ FSD whitefish - with egg

5:30 2.5 units

BM clay-like and hard

11:43 **329** (*walking with a stagger / limp... making sure it wasn't too low or too high*)

12:54 **391** (tt) ¼ fsd whitefish + ¼ FSD whitefish

1:00 2.5 units